









ENLIGHTENING PALLET

www.enlightening-plast.com



OUR PARTNERS

Coca-Cola



Continental 
The Future in Motion



P&G



DHL

aramex



Carrefour 



SUNTORY

TABLE OF CONTENTS

1 GRID SURFACE | 3 RUNNERS

2 FLAT SURFACE | 3 RUNNERS

3 GRID SURFACE | 6 RUNNERS

4 GRID SURFACE | 6 RUNNERS

5 FLAT SURFACE | 6 RUNNERS

6 GRID SURFACE | 9 LEGS NESTABLE

7 FLAT SURFACE | 9 LEGS NESTABLE

8 GRID SURFACE | 9 LEGS

9 FLAT SURFACE | 9 LEGS

10 GRID SURFACE | REVERSIBLE

11 GRID SURFACE | REVERSIBLE

12 GRID SURFACE | REVERSIBLE

13 FLAT SURFACE | REVERSIBLE

14 FLAT SURFACE | REVERSIBLE

15 SPILL PALLETS & WATER BOTTLES PALLETS

16 PALLET CONTAINERS

17 PALLET CONTAINERS

18 STACKABLE SOLID CRATES - FOOD GRADE

19 STACKABLE SOLID CRATES - FOOD GRADE

20 STACKABLE SOLID CRATES - INDUSTRIAL


21 STACKABLE VENTED CRATES - FOOD GRADE

22 STACKABLE VENTED CRATES - FOOD GRADE

23 ATTACHED LID CONTAINER

24 VENTED CRATES


25 VENTED CRATES - STEEL HANDLE




STATIC LOAD



DYNAMIC LOAD



RACKING LOAD



4 WAY ENTRY

ABOUT US :

Enlightening is a medium-sized company, having 400 employees, established at 2000 based in China, having two huge manufacturing facilities located in :

1- Shanghai, China 2- Qingdao, Shandong, China

With total area of 90,000 meter square, 60 sets of production lines, and 700 Plastic injection molds

ENLIGHTENING Annual Turnover reach 90 -100 million us dollar, overseas sales make up 30% of the total value ,we are proud to be one of the biggest exporters for plastic pallets around the world.

Our sales team in china are covering more than 40 countries globally

Through hardworking and passion, the company has grown over the last 20 years into one of the leading Chinese manufacturers of transport and storage products made from synthetic materials. With outstanding value for money, a comprehensive product range, and our high-quality service, we want to offer an unforgettable shopping experience for our customers – from ordering to dispatching the required item.

ENLIGHTENING has 60 sets of injection machines, with different sizes and capacities - up to 4000 TON



GRID SURFACE | 3 RUNNERS

ONE TIME INJECTION

RACKABLE




4 WAY



2 WAY



ENL-1008CWZJ 100 x 80 x 15 cm




WEIGHT ± 5% 9.0 kg 13.5 kg (7 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 290 40HC 720

ENL-1010H2 100 x 100 x 15 cm




WEIGHT ± 5% 13.6 kg 19.6 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 240 40HC 600

ENL-Y1111WHC 110 x 110 x 15 cm




WEIGHT ± 5% 14.0 kg 20.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 190 40HC 462

ENL-Y1208WHB 120 x 80 x 15 cm




WEIGHT ± 5% 11.0 kg 16.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 220 40HC 600

ENL-Y1210WHC 120 x 100 x 15 cm




WEIGHT ± 5% 13.5 kg 20.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 210 40HC 530

ENL-Y1211WHC 120 x 110 x 15 cm




WEIGHT ± 5% 15.7 kg 22.7 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 180 40HC 450

ENL-Y1212WHC 120 x 120 x 15 cm




WEIGHT ± 5% 16.5 kg 23.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 170 40HC 420

ENL-Y1311WHC 130 x 110 x 15 cm




WEIGHT ± 5% 16.3 kg 24.3 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 170 40HC 400

ENL-1313H2 130 x 130 x 15 cm




WEIGHT ± 5% 23.5 kg 35.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 150 40HC 380

ENL-Y1411WHC 140 x 110 x 15 cm




WEIGHT ± 5% 18.3 kg 27.3 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 150 40HC 380

ENL-Y1412WHC 140 x 120 x 16 cm




WEIGHT ± 5% 20.5 kg 29.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 130 40HC 330

ENL-Y144115WHC 144 x 115 x 16 cm



WEIGHT ± 5% 20.0 kg 29.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5T 1 T

CONTAINER 20FT 130 40HC 330



FLAT SURFACE | 3 RUNNERS

WELDED

RACKABLE




4 WAY



2 WAY



ENL-1010H 100 x 100 x 16.5 cm




WEIGHT ± 5% 14.6 kg 21.6 kg (7 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 240 40HC 600

ENL-1111PGC 110 x 110 x 15 cm




WEIGHT ± 5% 18.0 kg 23.4 kg (5 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 180 40HC 462

ENL-H1111PHB 110 x 110 x 15 cm




WEIGHT ± 5% 16.9 kg 23.9 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 180 40HC 450

ENL-1208PGC 120 x 80 x 15 cm




WEIGHT ± 5% 16.4 kg 21.4 kg (5 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 210 40HC 520

ENL-H1208PHA 120 x 80 x 15 cm




WEIGHT ± 5% 13.9 kg 20.9 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 210 40HC 520

ENL-1210PGC 120 x 100 x 15 cm




WEIGHT ± 5% 18.0 kg 23.5 kg (5 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 190 40HC 470

ENL-H1210PHA 120 x 100 x 15 cm




WEIGHT ± 5% 16.0 kg 22.8 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 200 40HC 500

ENL-H1211PHA 120 x 110 x 15 cm




WEIGHT ± 5% 20.0 kg 28.0 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 170 40HC 430

ENL-H1211PHB 120 x 110 x 15 cm




WEIGHT ± 5% 19.5 kg 26.5 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 170 40HC 430

ENL-H1212PHA 120 x 120 x 16 cm




WEIGHT ± 5% 20.8 kg 28.8 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 170 40HC 420

ENL-H1311PHA 130 x 110 x 16 cm




WEIGHT ± 5% 21.5 kg 29.5 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 150 40HC 380

ENL-1313H 130 x 130 x 15 cm



WEIGHT ± 5% 24.0 kg 33.0 kg (8 BARS)

LOAD CAPACITY

6 T 2 T 1.5 T

CONTAINER 20FT 150 40HC 380



GRID SURFACE | 6 RUNNERS

ONE TIME INJECTION

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-Y1111WTD 110 x 110 x 15 cm

WEIGHT $\pm$ 5% 14.5 kg 21.5 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

145

40HC

362

ENL-Y1111WTC 110 x 110 x 12 cm

WEIGHT $\pm$ 5% 7.2 kg

LOAD CAPACITY



2 T

1 T

X

CONTAINER


20FT

180

40HC

450

ENL-Y1208WTC 120 x 80 x 13.5 cm

WEIGHT $\pm$ 5% 10.0 kg 14.5 kg (3 BARS)

LOAD CAPACITY



4 T

1.5 T

1 T

CONTAINER


20FT

220

40HC

535

ENL-Y1210WTE 120 x 100 x 15 cm

WEIGHT $\pm$ 5% 14.7 kg 21.7 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

150

40HC

367

ENL-Y1210WTC 120 x 100 x 120 cm

WEIGHT $\pm$ 5% 7.2 kg

LOAD CAPACITY



2 T

1 T

X

CONTAINER


20FT

180

40HC

450

ENL-Y1211WTA 120 x 110 x 15 cm

WEIGHT $\pm$ 5% 15.0 kg 22.0 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

140

40HC

340

ENL-Y1212WTB 120 x 120 x 15 cm

WEIGHT $\pm$ 5% 16.5 kg 23.5 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

120

40HC

310

ENL-Y1411WTA 140 x 110 x 15 cm

WEIGHT $\pm$ 5% 17.0 kg 26.0 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

115

40HC

280

ENL-Y1412WTA 140 x 120 x 15 cm

WEIGHT $\pm$ 5% 19.0 kg 28.0 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER

20FT

105

40HC

272



GRID SURFACE | 6 RUNNERS

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-H1111WTC 110 x 110 x 15 cm




WEIGHT ± 5% 16.0 kg 23.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 145 40HC 362

ENL-H1210WTB 120 x 100 x 15 cm




WEIGHT ± 5% 17.0 kg 24.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 150 40HC 367

ENL-H1211WTB 120 x 110 x 15 cm



WEIGHT ± 5% 17.5 kg 24.5 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 140 40HC 340

ENL-H1212WTB 120 x 120 x 15 cm




WEIGHT ± 5% 18.7 kg 26.7 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 120 40HC 310

ENL-H1311WTA 130 x 110 x 15 cm




WEIGHT ± 5% 19.5 kg 27.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 125 40HC 310

ENL-1313C 130 x 130 x 16 cm




WEIGHT ± 5% 24.0 kg 28.6 kg (4 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 105 40HC 264

ENL-H1411WTA 140 x 110 x 15 cm




WEIGHT ± 5% 23.0 kg 32.0 kg (16 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 115 40HC 280

ENL-H1412WTA 140 x 120 x 15 cm




WEIGHT ± 5% 26.5 kg 35.5 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 105 40HC 272

ENL-1414C 140 x 140 x 16 cm




WEIGHT ± 5% 30.0 kg 35.0 kg (6 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 60 40HC 145

ENL-1515C 150 x 150 x 16 cm



WEIGHT ± 5% 34.0 kg 39.8 kg (6 BARS)

LOAD CAPACITY 6 T 1.5 T 1 T

CONTAINER 20FT 68 40HC 168



FLAT SURFACE | 6 RUNNERS

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-110830G 110 x 83 x 17.5 cm



WEIGHT ± 5% 13.1 kg 15.6 kg (3 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 130 40HC 300

ENL-H1111PTC 110 x 110 x 15 cm



WEIGHT ± 5% 16.5 kg 23.5 kg (12 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 140 40HC 352

ENL-1208B1 120 x 80 x 15 cm



WEIGHT ± 5% 18.0 kg

LOAD CAPACITY




4 T 1 T X

CONTAINER

20FT 150 40HC 375

ENL-H1210PTB 120 x 100 x 15 cm



WEIGHT ± 5% 17.0 kg 28.0 kg (12 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 150 40HC 367

ENL-H1211PTB 120 x 110 x 15 cm



WEIGHT ± 5% 19.4 kg 27.4 kg (12 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 120 40HC 310

ENL-H1212PTB 120 x 120 x 15 cm



WEIGHT ± 5% 19.7 kg 27.7 kg (12 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 120 40HC 310

ENL-H1311PTA 130 x 110 x 15 cm



WEIGHT ± 5% 27.6 kg 35.6 kg (12 BARS)

LOAD CAPACITY




6 T 1.5 T 1 T

CONTAINER

20FT 125 40HC 310

ENL-1313C 130 x 130 x 15 cm



WEIGHT ± 5% 26.5 kg 31.1 kg (4 BARS)

LOAD CAPACITY




6 T 2 T 1.5 T

CONTAINER

20FT 120 40HC 310

ENL-H1411PTA 140 x 110 x 15 cm



WEIGHT ± 5% 23.0 kg 33.0 kg (12 BARS)

LOAD CAPACITY




6 T 2 T 1.5 T

CONTAINER

20FT 115 40HC 280

ENL-H1412PTA 140 x 120 x 15 cm



WEIGHT ± 5% 28.0 kg 38.0 kg (12 BARS)

LOAD CAPACITY



6 T 2 T 1.5 T

CONTAINER

20FT 105 40HC 272



GRID SURFACE | 9 LEGS NESTABLE

ONE TIME INJECTION

GROUND USE

EXPORT USE




4 WAY



4 WAY



ENL-Y1008WQA 100 x 80 x 14 cm



WEIGHT ± 5% 4.9 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

600

40HC

ENL-Y1010WQA 100 x 100 x 14 cm



WEIGHT ± 5% 5.7 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

550

40HC

ENL-Y1109WQA 110 x 90 x 14 cm



WEIGHT ± 5% 6.2 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

470

40HC

ENL-Y1110WQA 110 x 100 x 14 cm



WEIGHT ± 5% 6.7 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

450

40HC

ENL-Y1111WQC 110 x 110 x 14 cm



WEIGHT ± 5% 6.7 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

450

40HC

ENL-Y1111WQB 110 x 110 x 14 cm



WEIGHT ± 5% 6.2 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

450

40HC

ENL-Y1111WQA 110 x 110 x 13.5 cm



WEIGHT ± 5% 7.8 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

410

40HC

ENL-Y1208WQA 120 x 80 x 13.5 cm



WEIGHT ± 5% 5.8 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

500

40HC

ENL-Y1210WQB 120 x 100 x 14 cm



WEIGHT ± 5% 6.2 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

400

40HC

ENL-Y1210WQA 120 x 100 x 14 cm



WEIGHT ± 5% 7.5 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

400

40HC

ENL-Y1211WQA 120 x 110 x 14 cm



WEIGHT ± 5% 6.8 kg

LOAD CAPACITY



1.5T

0.5 T

X


CONTAINER

20FT

440

40HC

ENL-Y1212WQA 120 x 120 x 13.5 cm



WEIGHT ± 5% 8.8 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER

20FT

370

40HC



FLAT SURFACE | 9 LEGS NESTABLE

ONE TIME INJECTION

GROUND USE

EXPORT USE




4 WAY



4 WAY



ENL-Y11473PQJ 114 x 73.0 x 14.5 cm



WEIGHT ± 5% 6.6 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

450

40HC

1100

ENL-Y11473PQJ 114 x 73.5 x 14.5 cm



WEIGHT ± 5% 6.6 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

450

40HC

1100

ENL-Y11573PQJ 115 x 73 x 15 cm



WEIGHT ± 5% 6.9 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

450

40HC

1100

ENL-Y11574PQJ 115 x 74 x 15 cm



WEIGHT ± 5% 6.9 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

450

40HC

1100

ENL-Y11575PQJ 115 x 75 x 15 cm



WEIGHT ± 5% 6.9 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

450

40HC

1100

ENL-Y1111PQA 110 x 110 x 13.5 cm



WEIGHT ± 5% 9.3 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

410

40HC

1050

ENL-1111CS 110 x 110 x 15 cm



WEIGHT ± 5% 8.5 kg

LOAD CAPACITY



3T

0.8 T

X

CONTAINER


20FT

400

40HC

1000

ENL-Y1208PQA 120 x 80 x 13.5 cm



WEIGHT ± 5% 7.0 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

500

40HC

1200

ENL-1210CS 120 x 100 x 15 cm



WEIGHT ± 5% 8.5 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER


20FT

400

40HC

1000

ENL-Y1212PQA 120 x 120 x 13.5 cm



WEIGHT ± 5% 10.9 kg

LOAD CAPACITY



1.5T

0.5 T

X

CONTAINER

20FT

370

40HC

830



GRID SURFACE | 9 LEGS

ONE TIME INJECTION

GROUND USE




4 WAY



4 WAY



ENL-Y1008WJA 100 x 80 x 15 cm

WEIGHT $\pm$ 5% 8.1 kg 10.1 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

280

40HC

ENL-Y1010WJA 100 x 100 x 15 cm

WEIGHT $\pm$ 5% 8.7 kg 11.2 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

240

40HC

ENL-Y1109WJA 110 x 90 x 15 cm

WEIGHT $\pm$ 5% 9.2 kg 11.7 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

240

40HC

ENL-Y1111WJA 110 x 110 x 14.5 cm

WEIGHT $\pm$ 5% 13.3 kg 16.3 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

240

40HC

ENL-Y1208WJA 120 x 80 x 14.5 cm

WEIGHT $\pm$ 5% 11.0 kg 14.0 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

240

40HC

ENL-Y1210WJB 120 x 100 x 14 cm

WEIGHT $\pm$ 5% 12.4 kg 15.4 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

200

40HC

ENL-Y1211WJA 120 x 110 x 14 cm

WEIGHT $\pm$ 5% 12.5 kg 15.5 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

160

40HC

ENL-Y1212WJB 120 x 120 x 14 cm

WEIGHT $\pm$ 5% 14.7 kg 17.7 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

160

40HC

ENL-Y1311WJA 130 x 110 x 14.5 cm

WEIGHT $\pm$ 5% 14.7 kg 18.2 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

130

40HC

ENL-Y1411WJB 140 x 110 x 14.8 cm

WEIGHT $\pm$ 5% 17.7 kg 21.4 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

115

40HC

ENL-Y1412WJA 140 x 120 x 14.5 cm

WEIGHT $\pm$ 5% 18.9 kg 22.9 kg (4 BARS)

LOAD CAPACITY



4T

1 T

X


CONTAINER

20FT

118

40HC

ENL-Y1414WJA 140 x 140 x 14.5 cm

WEIGHT $\pm$ 5% 17.8 kg 23.3 kg (6 BARS)

LOAD CAPACITY



4T

1 T

X

CONTAINER

20FT

68

40HC



FLAT SURFACE | 9 LEGS

ONE TIME INJECTION

GROUND USE




4 WAY



4 WAY



ENL-Y1008PJA 100 x 80 x 15 cm




WEIGHT ± 5% 8.7 kg 10.7 kg (3 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 280 40HC 700

ENL-Y1010PJA 100 x 100 x 15 cm




WEIGHT ± 5% 9.9 kg 12.4 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 240 40HC 600

ENL-Y1109PJA 110 x 90 x 15 cm




WEIGHT ± 5% 10.8 kg 13.3 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 240 40HC 600

ENL-Y1111PJA 110 x 110 x 14.5 cm




WEIGHT ± 5% 14.6 kg 17.1 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 240 40HC 580

ENL-Y1208PJB 120 x 80 x 15 cm




WEIGHT ± 5% 11.0 kg 14.0 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 200 40HC 500

ENL-Y1210PJB 120 x 100 x 14 cm




WEIGHT ± 5% 13.4 kg 16.4 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 200 40HC 500

ENL-Y1211PJA 120 x 110 x 14 cm




WEIGHT ± 5% 15.3 kg 18.3 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 160 40HC 400

ENL-Y1212PJB 120 x 120 x 14 cm




WEIGHT ± 5% 15.6 kg 19.0 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 160 40HC 400

ENL-Y1311PJA 130 x 110 x 14.5 cm




WEIGHT ± 5% 17.4 kg 20.9 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 130 40HC 310

ENL-Y1411PJA 140 x 110 x 14.5 cm




WEIGHT ± 5% 22.2 kg 26.2 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 115 40HC 280

ENL-Y1412PJA 140 x 120 x 14.5 cm




WEIGHT ± 5% 23.3 kg 27.3 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 118 40HC 272

ENL-Y1414PJA 140 x 140 x 14.5 cm



WEIGHT ± 5% 25.7 kg 30.3 kg (4 BARS)

LOAD CAPACITY

4T 1T X

CONTAINER 20FT 68 40HC 168



GRID SURFACE | REVERSIBLE

ONE TIME INJECTION

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-Y1111WSA 110 x 110 x 15 cm




WEIGHT ± 5% 19.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 145 40HC 362

ENL-Y1111WSB 110 x 110 x 15 cm




WEIGHT ± 5% 21.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 145 40HC 362

ENL-Y1111WSC 110 x 110 x 15 cm




WEIGHT ± 5% 22.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 145 40HC 362

ENL-Y1111WSE 110 x 110 x 15 cm




WEIGHT ± 5% 19.5 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 145 40HC 362

ENL-Y1210WSC 120 x 100 x 15 cm




WEIGHT ± 5% 19.5 kg 25.5 kg (8 BARS)

LOAD CAPACITY

6 T 1.5 T 1 T

CONTAINER 20FT 150 40HC 367

ENL-Y1210WSB 120 x 100 x 15 cm




WEIGHT ± 5% 19.5 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 150 40HC 367

ENL-Y1212WSA 120 x 120 x 15 cm




WEIGHT ± 5% 23.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 120 40HC 310

ENL-Y1311WSA 130 x 110 x 15 cm




WEIGHT ± 5% 24.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 125 40HC 310

ENL-Y1411WSB 140 x 110 x 15 cm




WEIGHT ± 5% 25.4 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 115 40HC 280

ENL-Y1411WSA 140 x 110 x 15 cm




WEIGHT ± 5% 30.5 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 115 40HC 280

ENL-Y1412WSB 140 x 120 x 15 cm



WEIGHT ± 5% 27.0 kg

LOAD CAPACITY

6 T 1.5 T 0.5 T

CONTAINER 20FT 105 40HC 272



GRID SURFACE | REVERSIBLE

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-H1010WSA/B 100 x 100 x 16/15 cm



WEIGHT ± 5% 15.0 kg 22.0 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

180

40HC

450

ENL-H1109WSA/B 110 x 90 x 16/15 cm



WEIGHT ± 5% 14.6 kg 19.6 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

180

40HC

446

ENL-H1111WSE 110 x 110 x 15 cm



WEIGHT ± 5% 18.4 kg 25.4 kg (8 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

140

40HC

362

ENL-H1208WSA 120 x 80 x 15 cm



WEIGHT ± 5% coming soon

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

150

40HC

375

ENL-H1210WSF 120 x 100 x 15 cm



WEIGHT ± 5% 18.6 kg 24.6 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

150

40HC

367

ENL-H1211WSB 120 x 110 x 15 cm



WEIGHT ± 5% 19.4 kg 27.4 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

140

40HC

340

ENL-H1212WSE 120 x 120 x 15 cm



WEIGHT ± 5% 21.0 kg 29.0 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

120

40HC

310

ENL-H125112WSA 125 x 112 x 14 cm



WEIGHT ± 5% 22.0 kg 30.0 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

120

40HC

310

ENL-H1310WSA 130 x 100 x 15 cm



WEIGHT ± 5% 23.0 kg 31.0 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

145

40HC

358

ENL-H1311WSF 130 x 110 x 15 cm



WEIGHT ± 5% 21.7 kg 29.7 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

120

40HC

310

ENL-H1411WSC 140 x 110 x 15 cm



WEIGHT ± 5% 27.2 kg 36.2 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T

CONTAINER


20FT

115

40HC

280

ENL-H1412WSD 140 x 120 x 15 cm



WEIGHT ± 5% 29.0 kg 38.0 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1 T



CONTAINER

20FT


105

40HC


272

GRID SURFACE | REVERSIBLE
WELDED
RACKABLE
STACKABLE



WEIGHT ± 5%	31.4 kg	40.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	77
	40HC	189




WEIGHT ± 5%	31.3 kg	40.3 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	100
	40HC	250




WEIGHT ± 5%	33.2 kg	42.2 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	95
	40HC	232




WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70
	40HC	174



WEIGHT ± 5%	38.8 kg	50.8 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	70
	40HC	174



WEIGHT ± 5%	37.0 kg	49.0 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	67
	40HC	166



WEIGHT ± 5%	43.4 kg	55.4 kg (20 BARS)
LOAD CAPACITY	6 T	1.5 T
CONTAINER	20FT	62
	40HC	152



FLAT SURFACE | REVERSIBLE

WELDED

RACKABLE

STACKABLE




4 WAY



4 WAY



ENL-H1008PSA 100 x 80 x 16 cm




WEIGHT ± 5% 14.5 kg 20.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 456

ENL-H1008PSB 100 x 80 x 15 cm




WEIGHT ± 5% 14.5 kg 20.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 456

ENL-H1010PSA 100 x 100 x 16 cm




WEIGHT ± 5% 16.0 kg 21.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 456

ENL-H1010PSB 100 x 100 x 15 cm




WEIGHT ± 5% 16.0 kg 21.5 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 456

ENL-H1109PSA 110 x 90 x 16 cm




WEIGHT ± 5% 17.0 kg 23.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 446

ENL-H1109PSB 110 x 90 x 15 cm




WEIGHT ± 5% 17.0 kg 23.0 kg (8 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 180 40HC 446

ENL-H1111PSE 110 x 110 x 15 cm




WEIGHT ± 5% 20.0 kg 27.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 140 40HC 362

ENL-H1208PSB 120 x 80 x 15 cm




WEIGHT ± 5% coming soon

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 150 40HC 375

ENL-H1210PSF 120 x 100 x 15 cm




WEIGHT ± 5% 20.2 kg 26.2 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 150 40HC 367

ENL-H1211PSB 120 x 110 x 15 cm




WEIGHT ± 5% 21.6 kg 29.6 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 140 40HC 340

ENL-H1212PSE 120 x 120 x 15 cm




WEIGHT ± 5% 23.0 kg 31.0 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 120 40HC 280

ENL-H1310PSA 130 x 100 x 15 cm



WEIGHT ± 5% 26.1 kg 34.1 kg (12 BARS)

LOAD CAPACITY 6 T 1.5 T 1T

CONTAINER 20FT 145 40HC 358



FLAT SURFACE | REVERSIBLE


WELDED

RACKABLE

STACKABLE



ENL-H1311PSG 130 x 110 x 15 cm



WEIGHT ± 5% 26.5 kg 34.5 kg (12 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

125

40HC

310

ENL-H1411PSD 140 x 110 x 15 cm



WEIGHT ± 5% 29.1 kg 38.1 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

115

40HC

280

ENL-H1412PSC 140 x 120 x 15 cm



WEIGHT ± 5% 31.6 kg 39.6 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

105

40HC

272

ENL-H1414PSA 140 x 140 x 16 cm



WEIGHT ± 5% 39.2 kg 47.2 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

77

40HC

189

ENL-H1414PSB 140 x 140 x 15 cm



WEIGHT ± 5% 39.2 kg 47.2 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

77

40HC

189

ENL-H1512PSB 150 x 120 x 15 cm



WEIGHT ± 5% 36.6 kg 45.6 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

100

40HC

250

ENL-H1513PSA 150 x 130 x 15 cm



WEIGHT ± 5% 38.4 kg 47.4 kg (20 BARS)

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER


20FT

100

40HC

250

ENL-H1614PSA 160 x 140 x 15 cm



WEIGHT ± 5% coming soon

LOAD CAPACITY



6 T

1.5 T

1T

CONTAINER

20FT

67

40HC

166

SPILL PALLETS

ONE TIME INJECTION

GROUND USE

STACKABLE


ENL-1 DRUM 68 x 68 x 15 cm


WEIGHT ± 5%	8.0 kg	VOLUME	43 L
LOAD CAPACITY			
	0.7 T	0.3 T	X
CONTAINER	20FT	480	40HC 1120

ENL-2 DRUMS 132 x 68 x 15 cm


WEIGHT ± 5%	17.0 kg	VOLUME	80 L
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	240	40HC 560

ENL-2 DRUMS 132 x 68 x 30 cm


WEIGHT ± 5%	22.0 kg	VOLUME	120 L
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	240	40HC 560

ENL-4 DRUMS 132 x 132 x 15 cm


WEIGHT ± 5%	32.0 kg	VOLUME	150 L
LOAD CAPACITY			
	3 T	1.3 T	X
CONTAINER	20FT	120	40HC 280

ENL-4 DRUMS 132 x 132 x 30 cm


WEIGHT ± 5%	36.0 kg	VOLUME	220 L
LOAD CAPACITY			
	3 T	1.3 T	X
CONTAINER	20FT	120	40HC 280

ENL-RAMP 120 x 80 x 30 cm


WEIGHT ± 5%	22kg		
LOAD CAPACITY			
	1.3 T	0.6 T	X
CONTAINER	20FT	80	40HC 240

WATER BOTTLES PALLETS

ONE TIME INJECTION

GROUND USE

STACKABLE


4 WAY
✓

4 WAY
✓



ENL-12 bottle pallet 108 x 81 x 17 cm


WEIGHT ± 5%	13.5kg		
LOAD CAPACITY			
	4 T	1 T	X
CONTAINER	20FT	200	40HC 500


ENL-16 bottle pallet 108 x 108 x 18 cm


WEIGHT ± 5%	17kg		
LOAD CAPACITY			
	4 T	1 T	X
CONTAINER	20FT	150	40HC 380




PALLET CONTAINERS

ENL-1210A
75 kg
120 x 100 x 97.5 cm

**STATIC
4 T**
**DYN
1 T**


Internal Dim		111 x 91 x 79 cm		Collapsible High		40.6 cm	
		W/LID				W/LID	
FOLDED	40HC	150	132	FOLDED	20FT	56	52
OPEN		44		OPEN		20	

ENL-1210B
66 kg
120 x 100 x 97.5 cm

**STATIC
4 T**
**DYN
1 T**


Internal Dim		111 x 91 x 79 cm		Collapsible High		40.6 cm	
		W/LID				W/LID	
FOLDED	40HC	150	132	FOLDED	20FT	56	52
OPEN		44		OPEN		20	

ENL-1210B2
57 kg
120 x 100 x 97.5 cm

**STATIC
4 T**
**DYN
1 T**

Internal Dim		112 x 92 x 79.5 cm		Collapsible High		40.6 cm	
		W/LID				W/LID	
FOLDED	40HC	148	132	FOLDED	20FT	56	52
OPEN		44		OPEN		20	

ENL-1210C
47 kg
120 x 100 x 59 cm

**STATIC
4 T**
**DYN
1 T**

Internal Dim		111 x 91 x 40.5 cm		Collapsible High		40.6 cm	
		W/LID				W/LID	
FOLDED	40HC	150	132	FOLDED	20FT	56	52
OPEN		44		OPEN		20	


ENL-1210D
55 kg
120 x 100 x 100 cm

**STATIC
4 T**
**DYN
1 T**

Internal Dim		111.7 x 91.8 x 86.5 cm		Collapsible High		36 cm	
		W/LID				W/LID	
FOLDED	40HC	150	137	FOLDED	20FT	60	52
OPEN		44		OPEN		20	

PALLET CONTAINERS

4 WAY

4 WAY


ENL-1210WE
43 kg
120 x 100 x 81 cm

STATIC
4 T

DYN
1 T

Internal Dim 111 x 91 x 66 cm

Collapsible High 29 cm

		W/LID				W/LID	
FOLDED	40HC	210	175	FOLDED	20FT	83	60
OPEN		60		OPEN		24	


ENL-1210FE
45 kg
120 x 100 x 81 cm

STATIC
4 T

DYN
1 T

Internal Dim 111 x 91 x 66 cm

Collapsible High 29 cm

		W/LID				W/LID	
FOLDED	40HC	210	175	FOLDED	20FT	83	60
OPEN		60		OPEN		24	

ENL-1162W
49 kg
116 x 116 x 79 cm

STATIC
4 T

DYN
1 T

Internal Dim 109 x 109 x 63 cm

Collapsible High 30 cm

		W/LID				W/LID	
FOLDED	40HC	180	168	FOLDED	20FT	80	72
OPEN		60		OPEN		30	

ENL-1162F
52 kg
116 x 116 x 79 cm


STATIC
4 T

DYN
1 T

Internal Dim 109 x 109 x 63 cm

Collapsible High 30 cm


		W/LID				W/LID	
FOLDED	40HC	180	168	FOLDED	20FT	80	72
OPEN		60		OPEN		30	

ENL-1210WK
32 kg
120 x 100 x 76 cm

STATIC
4 T

DYN
1 T

Internal Dim 111 x 91 x 60 cm

		W/LID				W/LID	
OVERLAP	40HC	104	104	OVERLAP	20FT	44	44
STACK		60		STACK		24	

ENL-1210FK
34 kg
120 x 100 x 76 cm

STATIC
4 T

DYN
1 T

Internal Dim 111 x 91 x 60 cm


		W/LID				W/LID	
OVERLAP	40HC	104	104	OVERLAP	20FT	44	44
STACK		60		STACK		24	

STACKABLE SOLID CRATES - FOOD GRADE
STACKABLE


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	X22-7#	17.6 x 12.3 x 5.5 cm	0.1 kg	15.5 x 11 x 5 cm	26961	62016
2	X22-6#	21.3 x 14.5 x 6.3 cm	0.13 kg	18.5 x 12.8 x 5.5 cm	15984	37632
3	X22-5#	25.5 x 18 x 7.8 cm	0.22 kg	21.8 x 16.5 x 7 cm	8970	20774
4	X22-4#	31.5 x 20.5 x 8.8 cm	0.36 kg	27.5 x 19 x 8 cm	5346	12540
5	X23-320B	34.8 x 24 x 12.2 cm	0.55 kg	32 x 21.5 x 11.5 cm	2907	6732
6	X23-320A	35.5 x 26.7 x 12.5 cm	0.62 kg	32 x 24 x 12.2 cm	2432	5544
7	X24-4#	37.3 x 25.4 x 6.5 cm	0.31 kg	34.5 x 22.5 x 6 cm	4860	11808
8.1	X20-360-80	38.8 x 31 x 8.9 cm	0.55 kg	36 x 27.8 x 8 cm	2730	6510
8.2	X20-360-105	38.8 x 31 x 11.5 cm	0.6 kg	36 x 27.8 x 10.5 cm	2100	4991
9	X22-3#	39 x 24 x 10 cm	0.55 kg	34.5 x 21.5 x 9 cm	3105	7020
10	X19-380	41.5 x 31.2 x 15 cm	0.85 kg	38 x 27.7 x 14.5 cm	1470	3451
11	X18-392	43 x 34 x 20 cm	1.25 kg	39.2 x 30.5 x 19 cm	858	2184
12	X24-3#	43.8 x 29.3 x 8 cm	0.45 kg	41 x 26 x 7 cm	2639	7128
13	X22-2#	44 x 29.7 x 11.3 cm	0.85 kg	40 x 27.2 x 10.5 cm	1911	4347
L 14.1	X17-450-165	48.6 x 35.5 x 17.4 cm	1.4 kg	45 x 32 x 16.5 cm	936	2160
L 14.2	X17-450-235	48.6 x 35.5 x 24.5 cm	1.75 kg	45 x 32 x 23.5 cm	648	1440
15	X16-460B	49 x 33.5 x 17 cm	1.42 kg	46 x 30.5 x 16 cm	936	2520
16	X16-460A	49 x 36.5 x 17 cm	1.4 kg	46 x 33.5 x 16.5 cm	936	2160
17	X14-470	50 x 32 x 18 cm	1.4 kg	47 x 29 x 16.8 cm	1001	2352
18.1	X15-465-160	53 x 38 x 17 cm	1.65 kg	46.5 x 35 x 16 cm	858	1980
18.2	X15-465-200	53 x 38 x 21 cm	1.85 kg	46.5 x 35 x 20 cm	726	1584
18.3	X15-465-220	53 x 38 x 23 cm	1.85 kg	46.5 x 35 x 22 cm	660	1452
18.4	X15-465-280	53 x 38 x 29 cm	2.35 kg	46.5 x 35 x 28 cm	792	1650
L 19.1	X13-500-180	53.5 x 41.6 x 19.2 cm	1.6 kg	50 x 38 x 18 cm	660	1430
L 19.2	X13-500-230	53.5 x 41.6 x 24 cm	2.3 kg	50 x 38 x 23 cm	495	1210
L 19.3	X13-500-250	53.5 x 41.6 x 26 cm	2.5 kg	50 x 38 x 25 cm	495	1100
L 19.4	X13-500-290	53.5 x 41.6 x 30 cm	2.55 kg	50 x 38 x 29 cm	550	1320
L 19.5	X13-500-320	53.5 x 41.6 x 33.2 cm	2.65 kg	50 x 38 x 32 cm	550	1320
L 19.6	X13-500-350	53.5 x 41.6 x 36 cm	2.65 kg	50 x 38 x 35 cm	495	1045

STACKABLE SOLID CRATES - FOOD GRADE
STACKABLE


No	CODE	EXTERNAL SIZE (± 3%)				WEIGHT ± 5%	INTERANL SIZE (± 3%)				MANUAL LOADING						
											20FT	40HC					
20	X12-510	54	x	37.5	x	28.5	cm	2.15	kg	51	x	34.5	x	27.5	cm	480	1188
21	X24-2#	55.7	x	37.5	x	8.3	cm	0.8	kg	52.3	x	34	x	7.5	cm	1680	4032
22	X21-2#	58	x	39	x	14.8	cm	1.4	kg	53.6	x	35.6	x	14.2	cm	960	2160
23	X11-525	59.2	x	36.5	x	26.5	cm	2.1	kg	52.5	x	32.3	x	25.3	cm	480	1200
24	X22-1#	60	x	37.9	x	12.8	cm	1.3	kg	46	x	34.5	x	12	cm	1188	2880
25	X10-550	60	x	40	x	15	cm	1.7	kg	55	x	36	x	14.5	cm	675	1700
L 26.1	X09-560-290	60.3	x	49.5	x	30.3	cm	3.2	kg	56	x	45.2	x	29	cm	252	608
L 26.2	X09-560-350	60.3	x	49.5	x	36.4	cm	3.5	kg	56	x	45.2	x	35	cm	324	722
L 27.1	X08-575-105	61	x	42	x	11.5	cm	1.45	kg	57.5	x	39	x	10.5	cm	900	2185
L 27.2	X08-575-145	61	x	42	x	15.5	cm	1.85	kg	57.5	x	39	x	14.5	cm	675	1615
L 27.3	X08-575-170	61	x	42	x	18	cm	1.86	kg	57.5	x	39	x	17	cm	585	1330
L 27.4	X08-575-210	61	x	42	x	22	cm	2.1	kg	57.5	x	39	x	21	cm	450	1140
L 27.5	X08-575-250	61	x	42	x	26	cm	2.56	kg	57.5	x	39	x	25	cm	405	950
L 27.6	X08-575-300	61	x	42	x	31	cm	2.3	kg	57.5	x	39	x	30	cm	315	760
L 27.7	X08-575-350	61	x	42	x	36	cm	2.3	kg	57.5	x	39	x	35	cm	405	950
L 27.8	X08-575-375	61	x	42	x	38.5	cm	3.15	kg	57.5	x	39	x	37.5	cm	405	855
28	X24-1#	62	x	41.3	x	9.7	cm	1.2	kg	58.5	x	38	x	8.5	cm	1080	2565
29	X21-1#	64	x	44	x	16.5	cm	1.8	kg	60.7	x	40.7	x	15.3	cm	630	1440
30	X06-604	65	x	44	x	35	cm	3.18	kg	60.4	x	39.6	x	33	cm	405	855
L 31	X07-600A	66.7	x	48.3	x	41	cm	4.7	kg	60	x	45	x	40	cm	208	648
32	X03-680	75	x	48	x	19.5	cm	2.8	kg	68	x	45	x	17.8	cm	336	832
33	X02-700A	76.5	x	55	x	46.5	cm	5.9	kg	70	x	51	x	44.8	cm	182	410
34	X01-780	84	x	64.2	x	48	cm	7.52	kg	78	x	58.2	x	46.7	cm	126	273

STACKABLE SOLID CRATES - INDUSTRIAL
STACKABLE


No	CODE	EXTERNAL SIZE (± 3%)				WEIGHT ± 5%	INTERANL SIZE (± 3%)				MANUAL LOADING	
											20FT	40HC
1.1	X59-300-115	30	x	20	x 11.5 cm	0.41 kg	25.5	x	15.5	x 9.5 cm	4180	10120
1.2	X59-300-147	30	x	20	x 14.7 cm	0.58 kg	25.5	x	15.5	x 13 cm	3344	7920
L 2.1	X58-400-115	40	x	30	x 11.5 cm	0.72 kg	35	x	25	x 9.5 cm	1960	4830
L 2.2	X58-400-148	40	x	30	x 14.8 cm	0.77 kg	35	x	25	x 13 cm	1568	3780
L 2.3	X58-400-220	40	x	30	x 22 cm	1.08 kg	35	x	25	x 20 cm	980	2520
L 2.4	X58-400-280	40	x	30	x 28 cm	1.29 kg	35	x	25	x 26 cm	1176	2730
L 3.1	X55-600-115	60	x	40	x 11.5 cm	1.2 kg	55	x	36	x 9.5 cm	900	2300
L 3.2	X55-600-148	60	x	40	x 14.8 cm	1.58 kg	55	x	36	x 13 cm	720	1800
L 3.3	X55-600-220	60	x	40	x 22 cm	2.04 kg	55	x	36	x 20 cm	450	1200
L 3.4	X55-600-280	60	x	40	x 28 cm	2.34 kg	55	x	36	x 26 cm	360	900
L 3.5	X56-A	60	x	40	x 28 cm	3.55 kg	55	x	36	x 26 cm	360	900
L 3.6	X55-600-325	60	x	40	x 32.5 cm	2.55 kg	55	x	36	x 31 cm	315	800
4	X54-635B	67	x	33.2	x 24.2 cm	2.16 kg	63.5	x	30	x 22.5 cm	504	1309
5	X54-635A	67	x	50.5	x 24.2 cm	3.17 kg	63.5	x	46.5	x 22.5 cm	288	748
6.1	X53-800-230	80	x	60	x 23 cm	4.02 kg	76.5	x	56.5	x 21 cm	210	495
6.2	X53-800-280	80	x	60	x 28 cm	4.48 kg	76.5	x	56.5	x 26 cm	168	405
6.3	X53-800-340	80	x	60	x 34 cm	5.25 kg	76.5	x	56.5	x 32.5 cm	147	315
7	X52-1000-280	100	x	40	x 28 cm	4.17 kg	94.5	x	35	x 27 cm	200	540
8.1	X51-1200-235	120	x	40	x 23.5 cm	4.72 kg	116	x	37	x 22.3 cm	200	550
8.2	X51-1200-280	120	x	40	x 28 cm	4.82 kg	116	x	37	x 26.8 cm	160	450

STACKABLE VENTED CRATES - FOOD GRADE
STACKABLE


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1.1	K19-360-80	38.8 x 31 x 8.9 cm	0.35 kg	36 x 27.8 x 8 cm	2730	6510
1.2	K18-360-105	38.8 x 31 x 11.5 cm	0.55 kg	36 x 27.8 x 10.5 cm	2100	4991
2	K17-430	45.3 x 31.6 x 27.3 cm	1.1 kg	43 x 29 x 26.2 cm	1092	2366
3.1	K16-450-165	48.6 x 35.5 x 17.4 cm	0.95 kg	45 x 32 x 16.5 cm	936	2160
3.2	K16-450-235	48.6 x 35.5 x 24.5 cm	1.3 kg	45 x 32 x 23.5 cm	648	1440
4	K20-460	49.1 x 35.4 x 26.9 cm	1.55 kg	46 x 32.3 x 25.4 cm	864	1872
5.1	K53-1#	51.5 x 36.3 x 29.3 cm	1.95 kg	49.5 x 35 x 27.8 cm	726	1725
5.2	K54-2#	51.5 x 36.5 x 31 cm	1.85 kg	48.5 x 33.5 x 30 cm	627	1656
6	K15-490	52.3 x 36.4 x 31 cm	1.66 kg	49 x 33.3 x 30 cm	660	1656
7.1	K14-500-180	53.5 x 41.3 x 19 cm	1.15 kg	50 x 38 x 18 cm	660	1540
7.2	K15-500-250	53.5 x 41.3 x 26 cm	1.35 kg	50 x 38 x 25 cm	495	1100
7.3	K15-500-220	53.5 x 41.3 x 22.8 cm	1.35 kg	50 x 38 x 22 cm	550	1210
7.4	K15-500-290	53.5 x 41.3 x 30 cm	1.58 kg	50 x 38 x 29 cm	550	1320
7.5	K15-500-320	53.5 x 41.3 x 33.5 cm	1.7 kg	50 x 38 x 32 cm	550	1320
8	K13-510	55 x 39 x 28.5 cm	1.6 kg	51 x 35.2 x 27.5 cm	480	1134
9.1	K12-560-290	60 x 49.5 x 30 cm	2 kg	56 x 45.2 x 29 cm	252	640
9.2	K12-560-350	60 x 49.5 x 36 cm	2.25 kg	56 x 45.2 x 35 cm	324	800
10.3	K10-575-105	61 x 42.5 x 11.5 cm	1.1 kg	57.5 x 39 x 10.5 cm	900	2185
10.4	K10-575-145	61 x 42.5 x 15 cm	1.2 kg	57.5 x 39 x 14.5 cm	675	1615
10.5	K10-575-170	61 x 42.5 x 18 cm	1.3 kg	57.5 x 39 x 17 cm	585	1330
10.6	K10-575-210	61 x 42.5 x 22 cm	1.65 kg	57.5 x 39 x 21 cm	450	1140
10.7	K10-575-250	61 x 42.5 x 26 cm	1.75 kg	57.5 x 39 x 25 cm	405	950
10.8	K10-575-300	61 x 42.5 x 31 cm	2.1 kg	57.5 x 39 x 30 cm	315	760
10.1	K10-575-350	61 x 42.5 x 36.3 cm	2.35 kg	57.5 x 39 x 35 cm	405	950
10.2	K10-575-375	61 x 42.5 x 38.5 cm	2.7 kg	57.5 x 39 x 37.5 cm	405	855
11	K07-640	68.5 x 48.5 x 41 cm	3.15 kg	64 x 44 x 40 cm	224	612
12	K06-720	76 x 56 x 41.5 cm	3.9 kg	72 x 51.5 x 40 cm	196	540
13	K05-746	80 x 55 x 37.5 cm	3.45 kg	74.6 x 50 x 36.5 cm	168	420

STACKABLE VENTED CRATES - FOOD GRADE
STACKABLE


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
14.1	K04-755B	80.5 x 57.2 x 50.5 cm	4.15 kg	75.5 x 52.5 x 49.5 cm	168	392
14.2	K04-755A	80.5 x 57.2 x 50.5 cm	4.75 kg	75.5 x 52.5 x 49.5 cm	168	392
15.1	K03-780B	84 x 63.7 x 48 cm	4.5 kg	78 x 58 x 46.5 cm	126	294
15.2	K03-780A	84 x 63.7 x 48 cm	5.5 kg	78 x 58 x 46.5 cm	126	294
16	K02-880	93.5 x 64 x 56 cm	6.7 kg	89 x 59.5 x 54.5 cm	108	216
17	K01-1m	100.3 x 68 x 54 cm	7 kg	97.5 x 62.7 x 52.5 cm	90	216

ATTACHED LID CONTAINER
NESTABLE
A


B

C


No	CODE		EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	NEST HEIGHT	PALLET LOADING			MANUAL LOADING	
						1 PT	20FT	40HC	20FT	40HC
1	4030XC260C	B	40 x 30 x 26 cm	1.65 kg	7.5 cm	140 158	1400	3480	1740	4100
2	4030XC315B	B	40 x 30 x 31.5 cm	2.1 kg	7.5 cm	140 158	1400	3480	1740	4100
3	X62-B	B	54 x 32 x 33.5 cm	2.7 kg	8.5 cm	126 140	1020	2500	1200	3080
4.1	6040XC260B	B	60 x 40 x 26 cm	2.8 kg	8.5 cm	80 90	800	2000	1000	2500
4.2	6040XC260A	A	60 x 40 x 26 cm	2.9 kg	12 cm	60 68	600	1500	720	1800
5	X60-C	C	60 x 40 x 28.5 cm	2.88 kg	12 cm	60 68	600	1500	720	1800
6.1	X61-B	B0	60 x 40 x 31.5 cm	2.9 kg	8 cm	80 90	800	2000	1000	2500
6.2	6040XC315B	B	60 x 40 x 31.5 cm	3 kg	8.5 cm	80 90	800	2000	1000	2500
6.3	6040XC315A	A	60 x 40 x 31.5 cm	3.1 kg	12 cm	60 68	600	1500	720	1800
7	X57-C	C	60 x 40 x 33.5 cm	3.09 kg	8.6 cm	80 90	800	2000	1000	2500
8	6040XC355B	B	60 x 40 x 35.5 cm	3.3 kg	8.5 cm	80 90	800	2000	1000	2500
9	6040XC365A	A	60 x 40 x 36.5 cm	3.3 kg	12 cm	60 68	600	1500	720	1800
10	6040XC412A	A	60 x 40 x 41.2 cm	3.5 kg	12.2 cm	56 65	560	1440	680	1720
11	6040XC462A	A	60 x 40 x 46.2 cm	3.7 kg	12.2 cm	56 65	560	1440	680	1720
12	7557XC625C	C	75 x 57 x 62.5 cm	8.1 kg	9.3 cm				459	1254

VENTED CRATES
NEST - STACK


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	K52-2#	58 x 37 x 21 cm	1.5 kg	55 x 34 x 20 cm	1600	4000
2.1	K51-1#B	58.5 x 36.5 x 34 cm	2.3 kg	55.5 x 33.5 x 32.5 cm	1020	2500
2.2	K51-1#A	58.5 x 36.5 x 34 cm	2.5 kg	55.5 x 33.5 x 32.5 cm	1020	2500
3.1	Q24-1#	62.3 x 42.6 x 16.5 cm	1.28 kg	52.5 x 39.8 x 16 cm	2000	4800
3.2	Q24-2#	62.3 x 42.6 x 31.5 cm	2.2 kg	52.5 x 39.8 x 31 cm	1150	2850

VENTED CRATES - STEEL HANDLE
NEST - STACK


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	K09-560	63 x 43 x 30 cm	1.85 kg	56 x 39 x 29.2 cm	1200	2945
2.1	K08-630B	68 x 47.8 x 36.5 cm	1.9 kg	63 x 43.8 x 35.5 cm	896	2244
2.2	K08-630A	68 x 47.8 x 36.5 cm	2.3 kg	63 x 43.8 x 35.5 cm	896	2244

SOLID CRATES
NEST - STACK


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	Q22-510	59 x 38.5 x 20 cm	1.9 kg	51 x 35 x 19 cm	1980	4560
2.1	Q23-1#	62.3 x 42.6 x 16.5 cm	1.55 kg	52.5 x 39.8 x 16 cm	2000	4800
2.2	Q23-2#	62.3 x 42.6 x 31.5 cm	2.36 kg	52.5 x 39.8 x 31 cm	1150	2850

WATER CRATES
NESTABLE


No	CODE	EXTERNAL SIZE (± 3%)	WEIGHT ± 5%	INTERANL SIZE (± 3%)	MANUAL LOADING	
					20FT	40HC
1	X25-50L	53.5 x 39 x 30 cm	1.35 kg	49.5 x 34.5 x 29.2 cm	2770	6080
2	X25-90L	69 x 47.5 x 37.5 cm	2.5 kg	64 x 42 x 35.5 cm	960	2380
L 3	X05-630	69.5 x 48 x 37 cm	2.95 kg	63 x 43.5 x 36 cm	896	2244
4	X25-160L	76 x 56 x 49.5 cm	4.7 kg	70 x 50 x 48.5 cm	670	1680
5	X25-200L	81.7 x 61 x 59 cm	5.5 kg	73 x 53 x 57.5 cm	441	1050
6	X25-300L	87.7 x 65.5 x 61.7 cm	6.8 kg	80 x 57.5 x 61 cm	360	897

[illegible]



www.enlightening-plast.com



sales@cnplasticpallet.com



0086 185 6061 6085